P7

G R S 18

1907-08

(Ulunaipal)

File No 142-07

Serial Nos 142

GENERAL AND REVENUE SECRETARIAT

Serial Nos 142

Part B for October 1907

SUBJECT

Jewel filters for the Bangalore Water Works

1. From Sanitary Comm.r No 4948/10.8.07
States, with ref to the question of fitting up Jewel filters for Bangalore Water Works, that he agrees with Col King Sanitary Comm.r of Madras, in thinking that the present arrangements will work efficiently if properly looked after.

2. 20 Cs for rings Water Supply &c, Secy to Govt, Pub.l & Rev. dated 3 Nov.
Secy to Govt P W. Secl's No 993-5/7211-38/10.10.07)
Sanctions a project for Rs 1,85,000/ for a combined
Jewel filter installation for the Bang.

G R,S 11] 1907-08

GENERAL AND REVENUE SECRETARIAT

(Mb.)

NOTES

File No M-2-07

FILE HEADING

Jewel filters for the Bangalore City Water Works.

From

The Sanitary Comr Mysore Govt

No 2694 Dated 10.8.07 Received 14 8 1907

Diary No 1130	Enclos	Spare Copie	Serial No 1

BRIEF ABSTRACT OF LETTER

States, with reference to the question of filling up jewel filters for Bangalore Water-works that he agrees with Col. King, Sanitary Comr of Madras in thinking that the present arrangement will work efficiently if proper looked after.

NOTES AND ORDERS

The question seems to have been decided finally after due consideration. The Sanitary Commissioners letter may, however, be forwarded to the Chief Engineer for information. Draft submitted.

NOTES—First sheet. MLA 9/8/07

GPH 3000—20 3 06

G. R S 12]
General and Revenue
Secretariat

Mb File No 42 of 1907

Serial No

Note for issue letter to P.W. Scott & then Reply thereto
S

It has since been ascertained that the P.W. Scott file on the subject sent on to this Scott for submission to Council is pending orders of the 1st Councillor ~~Thus may therefore be~~ Submitted to 1st Councillor in Continuation

Mbd 29
20/8
2K8

23
21/8/07

3803
24/8/07

Clerk to The premises were duly received in circulation as a Council matter 26/8/07

May be circulated to 2nd Councillor

CBS
26/8

Br IV Please note return to Council in the Subject as before Councillor

FDD
27/8/07

Seen HH
27/(8)/07

matters [illegible]

[illegible] sent to P W Scott

TDD
31/8/07

May this be filed

Mbd
3/9/07

Q in file 185 of 06 read & the [illegible] returned AJ
31/7

Note—Contu sheet

GIB—50'00 5'0

G R. S. 12]
General and Revenue Secretariat.

File No. Mg 2 of 1907

Serial No. 2

G O. No. 993-5 / 724-3 dated the 16th October 1907 (received from the P.W. Secty)

Sanctions a project for amounting to Rs 185,000/- for erecting a Combined power filter installation for Bangalore City and for the Civil and Military Station water supply and stating that the Durbar's share of the Cost may be provided for in the next year's P.W. Budget and that of the C.R. Station authorities desire the work to be started this year the sum of Rs 70000/- deposited with the Durbar for the work may be utilized and that the question whether the Municipality should contribute towards the Cost of the work will be considered in due Course.

There papers may be filed recorded in 'B' and the question about the Municipality contributing towards the Cost of the work considered separately. Subs for the information

Mhd Sir / of the 7th Consider

upon's letter — 23

24 Aug 1908 Thank 8/11/07

be sent to the President Municipal Council.

4823 9-11-07

Note—Contra sheet

175—30-000—17-07

G R. S 12]
General and Revenue Secretariat

B

MB File No 462 of 1907

C

Serial No

Separate note & draft are submitted. The papers in this file may be formed into a B Collection as already suggested

Attached
23/11/07

G I B—50 000—17-3-07

M C 142-07
S/1

9/11/07

No P 494
Enc

Office of the
Senior Surgeon and Sanitary Commissioner

Dated, Bangalore, the 10th Aug 1907

From Major H F Drake-Brockman,
~~Lt-Col-JOHN SMYTH-MD IMS~~
Senior Surgeon and Sanitary Commissioner with the Government of His Highness the Maharaja of Mysore
BANGALORE

To
C S Balasundram Iyer Esqr, B A,
Secretary to the Government of His Highness the Maharaja of Mysore General and Revenue Departments,
BANGALORE

PLAGUE DEPARTMENT

Sir,

With reference to the question of fitting up Jewell filters for Bangalore, I have the honor to invite the attention of Government to the opinion* expressed by Col W G King, M B C M, D P H, C I E, Sanitary Commissioner, Madras, after studying the local water-supply and to state that I am quite of the same opinion The present arrangement will work efficiently if properly looked after

I have the honor to be,
Sir,
Your most obedient servant,

H E Drake Brockman

Sanitary Commissioner

* vide para 35 of report +

W 4125 W.K.S 30.13 11.AS

~~Plague Department~~

1907—08

From,

~~Lt-Col JOHN SMYTH, M D, I M S,~~
The Senior Surgeon and San Commr
with the Government of Mysore

To

The Secretary to the Govt of H H the
Maharaja of Mysore, Gen & Rev Depts
Ba

Dated 10th Aug 1907

Despatched

Received

General No ~~P~~ 494

Enclosure No. –

Regarding the question of fitting up Jewell Filters for Bangalore

Copy (2)

Proceedings of the Government of His Highness the Maharaja of Mysore

P.W Department

Read -

1. Note dated the 6th June 1907 by the Secretar to Govt in the P.W.Department, submitting copy of the Proceedings of the Committee, assembled at the Residency on the 9th May last, to discuss the question of the site for the proposed combined Jewell Filter Irstallation for the Water supply to Bangalore, together with a project amounting to Rs 1,85,000/- for the construction of the Installation at Yesvantapur for the combined water supply to the City and to the Civil and Military Station at Bangalore

2 P W Department Secretary's note dated the 10 June 1907, furnishing further particulars giving the respecti e costs of the arrual mai tenance of the present s d filters and of the proposed Jewell Filters

---

Order thereon No 993-5/7211-3 dated Bangalore10th October 1907

The question of erecting a combined Jewell Filter Installation for Bangalore City and for the Civil and Military Station Water supply has long been under correspondence, and the Government of His Highness the Maharaja now sanction the project amounting to Rs 1,85,000 submitted the Chief Engineer, for erecting the Jewell Filter Installation for the combined water supplies to the City and Civil Military Station

II The Government are unable to find funds for this work during the current year, and therefore direct

+ 1

that provision be made for their share of the cost in next year's [illegible] Budget But if the Civil and Military Station Authorities desire the work to be started this year, the sum of Rs 70,000/- already deposited with the Durbar for the project can be utilized for the work, and provision made in next year's budget for the Durbar's share of the cost together with the balance of the share of cost to be borne by the Civil and Military Station

III. The question whether the City Municipality should be asked to share the cost of the work will be considered in due course

IV In connection with the installation and operation of the Jewell Filters referred to, the Government convey their approval to the draft agreement to be entered into with the Government of India now modified

Secretary to the Government
of Mysore, P W D

To,

The Executive Engineer, Water supply and Sewerage Division
with the sanctioned project

,, Secretary to Government, General & Revenue Department

,, Financial Secretary to Government